



Rep. Harry Osterman

**Filed: 4/8/2008**

09500HB5790ham002

LRB095 19800 MJR 48408 a

1 AMENDMENT TO HOUSE BILL 5790

2 AMENDMENT NO. \_\_\_\_\_. Amend House Bill 5790 on page 1, line  
3 7, by replacing "Hazardous" with "Lead-Hazardous"; and

4 on page 1, line 9, by replacing "Hazardous" with  
5 "Lead-Hazardous"; and

6 on page 1, line 10, by deleting "all"; and

7 on page 1, by replacing line 11 with the following:

8 "that have been determined to contain a lead hazard pursuant  
9 to"; and

10 on page 1, by replacing lines 12 through 14 with the following:

11 "Section 9 of this Act.

12 Properties shall be listed on the registry as follows:

13 (1) If the mitigation notice was issued for a dwelling  
14 unit inspected as a result of an elevated blood lead level

1 in a pregnant woman or a child, the property shall be  
2 listed on the registry 35 days after issuance of the  
3 mitigation notice unless the Department or delegate agency  
4 issues an extension of the deadline pursuant to subsection  
5 (6) of Section 9 of this Act.

6 (2) In all other cases, the property shall be listed on  
7 the registry 95 days after the issuance of the mitigation  
8 notice unless the Department or delegate agency issues an  
9 extension of the deadline pursuant to subsection (6) of  
10 Section 9 of this Act.

11 (3) All properties shall be listed on the registry 180  
12 days after issuance of the mitigation notice regardless of  
13 any extensions granted by the Department or delegate  
14 agencies."; and

15 by deleting line 22 on page 1 through line 1 on page 2; and

16 on page 2, line 2, by replacing "(5)" with "(4)"; and

17 on page 2, line 5, by replacing "(6)" with "(5)"; and

18 on page 2, by replacing lines 8 through 15 with the following:

19 "(c) Properties shall be removed from the Lead-Hazardous  
20 Registry within 3 business days after the Department or  
21 delegate agency issues a certificate of compliance. Delegate  
22 agencies must inform the Department within 3 business days that

1 the certificate of compliance has been issued."; and

2 on page 2, line 16, by replacing "Hazardous" with  
3 "Lead-Hazardous"; and

4 on page 2, line 17, by replacing "website" with "website within  
5 90 days after the effective date of this amendatory Act of the  
6 95th General Assembly"; and

7 on page 2, by replacing line 21 with the following:

8 "for all properties for which a mitigation notice was issued  
9 more than 180 days prior"; and

10 on page 7, line 20, by replacing "Hazardous" with  
11 "Lead-Hazardous".